

Product sheet

HEK293A | 305070

HEK293A

Culture Medium EMEM (MEM Eagle), w: 2 mM L-Glutamine, w: 2.2 g/L NaHCO₃, w: EBSS (Cytion 820100a)

Supplements 10% FBS 1% NEAA

Dissociation Reagent

Subculturing 1. Add 1 ml of PBS to each well. 2. Add 1 ml of Trypsin to each well. 3. Incubate at 37°C for 5-10 min. 4. Add 1 ml of PBS to each well. 5. Add 1 ml of 10% FBS to each well. 6. Incubate at 37°C for 15 min. 7. Add 1 ml of 10% FBS to each well. 8. Incubate at 37°C for 15 min.

Fluid renewal 2-3 times per week

Freeze medium 10% FBS + 10% DMSO

- Thawing and Culturing Cells**
1. Thaw the vial in a 37°C water bath.
 2. Add 1 ml of PBS to each well.
 3. Add 1 ml of 10% FBS to each well.
 4. Incubate at 37°C for 15 min.
 5. Add 1 ml of 10% FBS to each well.
 6. Incubate at 37°C for 15 min.
 7. Add 1 ml of 10% FBS to each well.
 8. Incubate at 37°C for 15 min.

Incubation Atmosphere 37°C, 5% CO₂

Flask Coating

Product sheet

HEK293A | 305070

Freezing Procedure

...

Shipping Conditions

...

Storage Conditions

...

... / ... / HLA

Sterility

... PCR ...
...