Product sheet

NCI-H1703 | 305090

[illegible]

Description	NCI-H1703 [illegible] I, [illegible] 54, [illegible] NCI-H1703 [illegible], [illegible]-[illegible] NSCLC: [illegible]
Organism	[illegible]
Tissue	[illegible]
Disease	[illegible]
Synonyms	NCI-H1703, H-1703, NCIH1703

[illegible]

Age	54 [illegible]
Gender	[illegible]
Ethnicity	[illegible]
Morphology	[illegible]
Growth properties	[illegible]

[illegible]

Citation	NCI-H1703 ([illegible] Cytion 305090)
Biosafety level	1
NCBI_TaxID	9606
CellosaurusAccession	CVCL_1490

[illegible]-[illegible]

[redacted] NCI-H1703 | 305090

[redacted]

Culture Medium	RPMI 1640, w: 2.0 mM [redacted], w: 2.0 g/L NaHCO3 ([redacted] Cytion 820700a)
Supplements	[redacted] 10% FBS
Dissociation Reagent	[redacted]
Subculturing	[redacted] -PBS [redacted] T25, [redacted] -3-5 [redacted] PBS, [redacted] 3 [redacted]
Fluid renewal	2 [redacted] 3 [redacted]
Freeze medium	[redacted] (FBS) + 10% DMSO [redacted]
Thawing and Culturing Cells	1. [redacted] 2. [redacted] -150°C [redacted] 3. [redacted] 37 [redacted] 4. [redacted] 70% [redacted] 5. [redacted] 15 [redacted] 8 [redacted] 6. [redacted] -300 x g [redacted] 3 [redacted] 7. [redacted] -10 [redacted] T2 8. [redacted]
Incubation Atmosphere	37°C, 5% $_{CO2}$, [redacted]
Flask Coating	[redacted]

[redacted] NCI-H1703 | 305090

Freezing Procedure	[redacted] -78°C
Shipping Conditions	[redacted] -78°C
Storage Conditions	[redacted] -150 [redacted] 196 [redacted] [redacted]

[redacted] / [redacted] / HLA

Sterility	[redacted] PCR [redacted] [redacted]