Product sheet

NCI-N87 | 305057

[redacted]

Description	NCI-N87, [redacted] N-87, [redacted], [redacted], [redacted] NCI-N87 [redacted] NCI-N87 [redacted] myc [redacted]-erb-B2, [redacted] (CEA) [redacted]-TAG 72, [redacted]-L-dopa d[redacted] NCI-N87 [redacted]
Organism	[redacted]
Tissue	[redacted]
Disease	[redacted]
Metastatic site	[redacted]
Synonyms	NCI-N87, NCI N87, N-87, NCI-H87, H87, H-87, NCIN87

[redacted]

Gender	[redacted]
Ethnicity	[redacted]
Morphology	[redacted]
Growth properties	[redacted]

[redacted]

Citation	NCI-N87 ([redacted] Cytion 305057)
Biosafety level	1
NCBI_TaxID	9606
CellosaurusAccession	CVCL_1603

[redacted] NCI-N87 | 305057

[redacted]-[redacted]

Tumorigenic	[redacted]

[redacted]

Culture Medium	RPMI 1640, w: 2.0 mM [redacted], w: 2.0 g/L NaHCO3 ([redacted] Cytion 820700a)
Supplements	[redacted] 10% FBS, 10 mM HEPES, 2.5g/L [redacted]-1mM [redacted]
Dissociation Reagent	[redacted]
Subculturing	[redacted]-PBS [redacted] T25, [redacted]-3-5 [redacted] PBS, [redacted] 3 [redacted]
Fluid renewal	2 [redacted] 3 [redacted]
Freeze medium	[redacted] (FBS) + 10% DMSO [redacted] C
Thawing and Culturing Cells	

1. [redacted]
2. [redacted]-150°C [redacted]
3. [redacted] 37 [redacted]
4. [redacted] 70% [redacted]
5. [redacted] 15 [redacted] 8 [redacted]
6. [redacted]-300 x g [redacted] 3 [redacted]
7. [redacted]-10 [redacted] T2
8. [redacted]-[redacted]

[redacted] NCI-N87 | 305057

Incubation Atmosphere	37°C, 5% $_{CO2}$, [redacted]
Flask Coating	[redacted], [redacted]
Freezing Procedure	[redacted] -78°C
Shipping Conditions	[redacted] -78°C
Storage Conditions	[redacted] -150 [redacted] 196 [redacted]

[redacted] / [redacted] / HLA

Sterility	[redacted] PCR [redacted] [redacted], [redacted], [redacted]