





**HEK293T BxPC-3 | 305031**

**Thawing and Culturing Cells**

1. **Thawing:** Thaw the vial quickly in a 37°C water bath. Transfer the cells to a pre-warmed medium.
2. **Seeding:** Seed the cells into a 150 cm<sup>2</sup> flask containing 150 ml of pre-warmed medium.
3. **Medium:** Use DMEM supplemented with 10% FBS.
4. **Concentration:** Seed at a density of 1.5 x 10<sup>6</sup> cells per flask.
5. **Incubation:** Incubate at 37°C in 5% CO<sub>2</sub>.
6. **Passaging:** Pass cells when they reach 70-80% confluency.
7. **Medium Change:** Change medium every 2-3 days.
8. **Subculture:** Subculture cells into 25 cm<sup>2</sup> flasks.

**Incubation Atmosphere** 37°C, 5% CO<sub>2</sub>, humidified

**Flask Coating** Cell culture flasks are pre-coated with poly-D-lysine.

**Freezing Procedure** Harvest cells at 70-80% confluency and freeze in 10% FBS medium.

**Shipping Conditions** Ship cells at -78°C in dry ice.

**Storage Conditions** Store cells at -150°C in 196 liquid nitrogen.

**HEK293T BxPC-3 / HEK293T BxPC-3 / HLA**

**Sterility** Cells are provided in a sterile, virus-free medium.