

MDA-MB-468 | 300279

Description	MDA-MB-468				MDA-MB-468
	MDA-MB-468	TP53	TP53		
	MDA-MB-468			in vivo	

Organism	
Tissue	

Disease	
Metastatic site	

Synonyms	MDA-MB 468, MDA-MB468, MDAMB468, MDA-468, MDA468, MB468, MD Anderson-Metastatic Breast-468
-----------------	--

Age	51
------------	----

Gender	
Ethnicity	

Morphology	
Growth properties	

Citation	MDA-MB-468 Cytion 300279
-----------------	--------------------------

Biosafety level	1
------------------------	---

NCBI_TaxID	9606
-------------------	------

CellosaurusAccession	CVCL_0419
-----------------------------	-----------

MDA-MB-468 | 300279

Culture Medium	DMEM:Ham's F12 (1:1) w: 3.1 g/L	w: 2.5 mM L-	w: 15 mM HEPES	w: 0.5 mM	w: 1.2 g/L NaHCO3 (Cytion)
-----------------------	---------------------------------	--------------	----------------	-----------	----------------------------

Supplements	10% FBS
--------------------	---------

Dissociation Reagent	
-----------------------------	--

Subculturing	PBS	T25	3-5ml T75	5-10ml PBS	T25	1-2ml
---------------------	-----	-----	-----------	------------	-----	-------

Fluid renewal	2 3
----------------------	-----

Freeze medium	FBS	10 DMSO	CM-1
----------------------	-----	---------	------

Thawing and Culturing Cells	1.				
	2.		-150		3
	3.		37		40 60
	4.	70			
	5.		8ml	15ml	
	6.	300 x g 3			
	7.	10ml		2 T25	1
	8.				

Incubation Atmosphere	37	5% CO2
------------------------------	----	--------

MDA-MB-468 | 300279

Flask Coating

Freezing Procedure -78

Shipping Conditions -78

Storage Conditions -150 -196 80

HLA

Sterility PCR