

HS-695T | 300211

**Description**

HS-695T

HS-695T Melan-A HMB-45

BRAF N

**Organism**

**Tissue**

**Disease**

**Metastatic site**

**Synonyms**

Hs 695.T Hs-695-T Hs 695T HS 695T Hs695T HS695T Hs695

**Age**

26

**Gender**

**Ethnicity**

**Morphology**

**Growth properties**

**Citation**

HS-695T 300211

**Biosafety level**

1

**NCBI\_TaxID**

9606

**CellosaurusAccession**

CVCL\_0851

HS-695T | 300211

<b>Protein expression</b>	P53
---------------------------	-----

<b>Isoenzymes</b>	G6PD B PGM1 1 PGM3 1 ES-D 1 Me-2 0 AK-1 1 GLO-1 1	0.0427
-------------------	---	--------

<b>Tumorigenic</b>	
--------------------	--

<b>Mutational profile</b>	BRAF V600Emut
---------------------------	---------------

<b>Karyotype</b>	(P19-40 52 Y
------------------	--------------

<b>Culture Medium</b>	DMEM w 4.5g/L w 4mM L- w 3.7g/L NaHCO3 w 1.0mM	Cytion 820300a
-----------------------	--	----------------

<b>Supplements</b>	10% FBS
--------------------	---------

<b>Dissociation Reagent</b>	
-----------------------------	--

<b>Subculturing</b>	PBS T25 3-5ml T75 5-10ml PBS T25	1-2m
---------------------	----------------------------------	------

<b>Seeding density</b>	$2 \times 10^4$ /cm <sup>2</sup>
------------------------	----------------------------------

<b>Fluid renewal</b>	2 3
----------------------	-----

<b>Post-Thaw Recovery</b>	$4 \times 10^4$ /cm <sup>2</sup> 24
---------------------------	-------------------------------------

<b>Freeze medium</b>	FBS 10 DMSO	CM-1
----------------------	-------------	------

HS-695T | 300211

Thawing and Culturing Cells				
1.				
2.		-150		3
3.		37		40 60
4.	70			
5.		8ml	15ml	
6.	300 x g 3			
7.	10ml		2 T25	
8.				

**Incubation Atmosphere** 37 5% CO<sub>2</sub>

**Flask Coating**

**Freezing Procedure** -78

**Shipping Conditions** -78

**Storage Conditions** -150 -196 80

**HLA**

**Sterility** PCR