

MDA-MB-453 | 305042

Description	MDA-MB-453			AR	ER
	MDA-MB-453		in vitro	in vivo	

Organism

Tissue

Disease

Metastatic site

Synonyms MDA-MB 453 MDA MB 453 MDA-MB453 MDAMB453 MDA-453 MDA453 MD - -453

Age 48

Gender

Ethnicity

Morphology

Growth properties

Citation MDA-MB-453 (Cytion 305042)

Biosafety level 1

NCBI_TaxID 9606

CellosaurusAccession CVCL_0418

MDA-MB-453 | 305042

Receptors expressed	FGF
----------------------------	-----

Tumorigenic

Culture Medium	DMEM:Ham's F12 (1:1) w: 3.1 g/L	w: 2.5 mM L-	w: 15 mM HEPES	w: 0.5 mM	w: 1.2 g/L NaHCO3 (Cytion)
-----------------------	---------------------------------	--------------	----------------	-----------	----------------------------

Supplements 10% FBS

Dissociation Reagent	
-----------------------------	--

Subculturing PBS T25 3-5ml T75 5-10ml PBS T25 1-2ml

Fluid renewal	2 3
----------------------	-----

Freeze medium FBS 10 DMSO CM-1

Thawing and Culturing Cells	1.			
	2.	-150		3
	3.	37		40 60
	4.	70		
	5.	8ml	15ml	
	6.	300 x g 3		
	7.	10ml	2 T25	1
	8.			

