

NCI-N87 | 305057

Description	NCI-N87 N87									
	NCI-N87					NCI-N87				
	NCI-N87		myc erb-B2							
			CEA TAG72			L-	DDC			VIP
	NCI-N87									

Organism

Tissue

Disease

Metastatic site

Synonyms NCI-N87 NCI-N87 N-87 NCI-H87 H87 H-87 NCIN87

Gender

Ethnicity

Morphology

Growth properties

Citation NCI-N87 (Cytion 305057)

Biosafety level 1

NCBI_TaxID 9606

CellosaurusAccession CVCL_1603

NCI-N87 | 305057

Tumorigenic

Culture Medium RPMI1640 w 2.0mM w 2.0g/L NaHCO3 Cytion article number 820700a

Supplements 10% FBS 10mM HEPES 2,5g/L 1mM

Dissociation Reagent

Subculturing PBS T25 3-5ml T75 5-10ml PBS T25 1-2m

Fluid renewal 2 3

Freeze medium FBS 10 DMSO CM-1

Thawing and Culturing Cells

- 1.
2. -150 3
3. 37 40 60
4. 70
5. 8ml 15ml
6. 300 x g 3
7. 10ml 2 T25 1
- 8.

Incubation Atmosphere 37 5% CO2

NCI-N87 | 305057

Flask Coating

Freezing Procedure -78

Shipping Conditions -78

Storage Conditions -150 -196 80

HLA

Sterility PCR