Product sheet

NCI-H3122 | 300484

Description	NCI-H3122 (NSCLC) , 4(EML4) (ALK) EML4-ALK NCI-H3122 , ALK AKT ERK . NCI-H3122 . , ALK EGFR
Organism	
Tissue	
Disease	
Synonyms	NCI-H3122, H-3122, NCIH3122

Gender	
Ethnicity	
Growth properties	

Citation	NCI-H3122(300484)
Biosafety level	1
NCBI_TaxID	9606
CellosaurusAccession	CVCL_5160

NCI-H3122 | 300484

Culture Medium	RPMI 1640, w: 2.0mM , w: 2.0g/L NaHCO3(820700a)
Supplements	10% FBS
Dissociation Reagent	
Subculturing	PBS . T25 3~5ml, T75 5~10ml PBS . T25
Freeze medium	(FBS) + 10% DMSO , CM-1(Cytion 800100)
Thawing and Culturing Cells	1. . 2. -150°C , 3 . 3. 37°C 40~60 . 4. , 70% . 5. 8ml 15ml . 6. 300 x g 3 . 7. 10ml . T25 , T25 8. .
Incubation Atmosphere	37°C, 5% $_{CO2}$, .
Flask Coating	.
Freezing Procedure	-78°C . .

NCI-H3122 | 300484

Shipping Conditions	-78°C . .
Storage Conditions	-150°C -196°C . 80°C .

/ / HLA

Sterility	PCR . , .
HLA	**A***: '03:01:01 **B***: '35:01:01 **C***: '04:01:01 **DRB1***: '13:01:01 **DQA1***: '01:03:01 **DQB1***: '06:03:01 **DPB1***: '14:01:01 **E**: '01:03:02