

HEK293T | 300189

Description	HEK 293	HEK 293T
	HEK-293T	293 SV40 T
	293T	HEK293T
	VLP	VLP .293T AP
	293T	293T

**Organism**

**Tissue**

**Applications**

<b>Synonyms</b>	Hek293T, HEK-293T, HEK 293T, HEK-293-T, HEK 293 T, 293-T, 293T, 293T, 293tsA1609neo
-----------------	---

**Age**

**Gender**

**Morphology**

**Growth properties**

<b>Citation</b>	HEK293T( 300189)
-----------------	------------------

<b>Biosafety level</b>	1
------------------------	---

<b>NCBI_TaxID</b>	9606
-------------------	------

<b>CellosaurusAccession</b>	CVCL_0063
-----------------------------	-----------

<b>GMO Status</b>	GMO-S1: HEK293T SV40 T
-------------------	------------------------

HEK293T | 300189

**Receptors expressed**

**Protein expression** CEA, p53

**Tumorigenic**

**Culture Medium** EMEM(MEM), w: 2mM L- , w: 2.2g/L NaHCO3, w: EBSS( 820100a)

**Supplements** 10% FBS 1% NEAA

**Dissociation Reagent**

**Doubling time** 30

**Subculturing** PBS, T25, 3~5ml, T75, 5~10ml, PBS, T25

**Seeding density**  $1 \times 10^4 / \text{cm}^2$  4

**Fluid renewal** 2

**Post-Thaw Recovery**  $5 \times 10^4$ , 24

**Freeze medium** (FBS) + 10% DMSO, CM-1(Cytion 800100)

HEK293T | 300189

**Thawing and Culturing Cells**

1. .
2. -150°C , 3 .
3. 37°C 40~60 .
4. , 70% .
5. 8ml 15ml .
6. 300 x g 3 .
7. 10ml . T25 , T25
8. .

**Incubation Atmosphere** 37°C, 5% CO<sub>2</sub> .

**Flask Coating**

**Freezing Procedure** -78°C .

**Shipping Conditions**

-78°C .

**Storage Conditions** -150°C -196°C .80°C .

/ / HLA

**Sterility** PCR .