Product sheet

HS-695T | 300211

Description	HS-695T . , HS-695T -A, , HMB-45 .
Organism	
Tissue	
Disease	
Metastatic site	
Synonyms	Hs 695.T, Hs-695-T, Hs 695T, HS 695T, Hs695T, HS695T, Hs695

Age	26
Gender	
Ethnicity	
Morphology	
Growth properties	

Citation	HS-695T(300211)
Biosafety level	1
NCBI_TaxID	9606
CellosaurusAccession	CVCL_0851

HS-695T | 300211

Protein expression	P53
Isoenzymes	G6PD, B, PGM1, 1, PGM3, 1, ES-D, 1, Me-2, 0, AK-1, 1, GLO-1, 1, : 0.0427
Tumorigenic	,
Mutational profile	BRAF V600
Karyotype	(P19-40) = 52, Y

Culture Medium	DMEM, w: 4.5g/L , w: 4mM L- , w: 3.7g/L NaHCO3, w: 1.0mM (820300a)
Supplements	10% FBS
Dissociation Reagent	
Subculturing	PBS . T25 3~5ml, T75 5~10ml PBS . T25
Seeding density	2×10^4 /cm^2
Fluid renewal	2~3
Post-Thaw Recovery	5×10^4 /cm^2 , 24 .
Freeze medium	(FBS) + 10% DMSO , CM-1(Cytion 800100)

HS-695T | 300211

Thawing and Culturing Cells	1. . 2. -150°C , 3 . 3. 37°C 40~60 . 4. , 70% . 5. 8ml 15ml . 6. 300 x g 3 . 7. 10ml . T25 , T25 8. .
Incubation Atmosphere	37°C, 5% $_{CO2}$, .
Flask Coating	.
Freezing Procedure	-78°C . .
Shipping Conditions	-78°C . .
Storage Conditions	-150°C -196°C . 80°C .

/ / HLA

Sterility	PCR . , .