

MDA-MB-453 | 305042

<b>Description</b>	MDA-MB-453	,	.	(AR)	(ER)
	MDA-MB-453		.		,

**Organism**

<b>Tissue</b>	,
---------------	---

**Disease**

<b>Metastatic site</b>
------------------------

**Synonyms** MDA-MB 453, MDA MB 453, MDA-MB453, MDAMB453, MDA-453, MDA453, MD 453

<b>Age</b>	48
------------	----

**Gender**

<b>Ethnicity</b>
------------------

**Morphology**

<b>Growth properties</b>
--------------------------

<b>Citation</b>	MDA-MB-453 ( 305042)
-----------------	----------------------

**Biosafety level** 1

<b>NCBI_TaxID</b>	9606
-------------------	------

**CellosaurusAccession** CVCL\_0418

MDA-MB-453 | 305042

**Receptors expressed** (FGF),

**Tumorigenic**

**Culture Medium** DMEM: F12(1:1), w: 3.1 g/L , w: 2.5mM L- , w: 15mM HEPES, w: 0.5mM , w: 1.2 g/L NaHCO<sub>3</sub> (Cytion

820

**Supplements** 10% FBS

**Dissociation Reagent**

**Subculturing** PBS . T25 3~5ml, T75 5~10ml PBS . T25

**Fluid renewal** 2~3

**Freeze medium** (FBS ) + 10% DMSO , CM-1(Cytion 800100)

**Thawing and Culturing Cells**

1. .
2. -150°C , 3 .
3. 37°C 40~60 .
4. , 70% .
5. 8ml 15ml .
6. 300 x g 3 .
7. 10ml . T25 , T25
8. .

MDA-MB-453 | 305042

**Incubation Atmosphere** 37°C, 5% CO<sub>2</sub>

**Shipping Conditions** -78°C

**Storage Conditions** -150°C -196°C .80°C

/ / HLA

**Sterility** PCR