

HEK293T/17 | 305117

<b>Description</b>	293T/17	HEK293	,	.	SV40	T
	293T/17		.			
	293T/17		.	,	.	

<b>Organism</b>	
<b>Tissue</b>	

<b>Applications</b>	,	,	.
<b>Synonyms</b>	HK293T/17, HK-293T/17, HK 293T/17		

<b>Age</b>	
------------	--

<b>Gender</b>	
---------------	--

<b>Morphology</b>	
-------------------	--

<b>Growth properties</b>	
--------------------------	--

<b>Citation</b>	HEK293T/17(	305117)
-----------------	-------------	---------

<b>Biosafety level</b>	1
------------------------	---

<b>NCBI_TaxID</b>	9606
-------------------	------

<b>CellosaurusAccession</b>	CVCL_1926
-----------------------------	-----------

<b>GMO Status</b>	GMO-S1: HEK293T/17	SV40	T	.
-------------------	--------------------	------	---	---

**HEK293T/17 | 305117**

**Antigen expression** SV40 T

**Viruses** SV40(SV40 T )

**Culture Medium** DMEM, w: 4.5g/L , w: 4mM L- , w: 3.7g/L NaHCO3, w: 1.0mM ( 820300a)

**Supplements** 10% FBS

**Dissociation Reagent**

**Subculturing** PBS . T25 3~5ml, T75 5~10ml PBS . T25

**Fluid renewal** 2~3

**Freeze medium** (FBS ) + 10% DMSO , CM-1(Cytion 800100)

**Thawing and Culturing Cells**

1. .
2. -150°C , 3 .
3. 37°C 40~60 .
4. , 70% .
5. 8ml 15ml .
6. 300 x g 3 .
7. 10ml . T25 , T25
8. .

HEK293T/17 | 305117

**Incubation Atmosphere** 37°C, 5% CO<sub>2</sub>

**Flask Coating**

**Freezing Procedure** -78°C

**Shipping Conditions** -78°C

**Storage Conditions** -150°C -196°C -80°C

/ / HLA

**Sterility** PCR