

BHK-21 13 | 603126

Description

(BHK) BHK-21 13 , , .

BHK-21 , , , ,

BHK-21 . , .

BHK-21 , , .

, BHK-21 13 , , .

Organism

Tissue

Applications

Synonyms 21, 21, 21, 21, 21, 21, 21, 21, BHK

Age

Morphology

Cell type

Growth properties ,

Citation BHK-21 13(603126)

Biosafety level 1

NCBI_TaxID 10036

CellosaurusAccession CVCL_1914

BHK-21 13 | 603126

Virus susceptibility 25, , 3, ()

Reverse transcriptase

Culture Medium EMEM(MEM), w: 2mM L- , w: 2.2g/L NaHCO₃, w: EBSS(820100a)

Supplements 10% FBS 1% NEAA

Dissociation Reagent

Subculturing PBS . T25 3~5ml, T75 5~10ml PBS . T25

Seeding density $1 \times 10^4 / \text{cm}^2$ 4 .

Fluid renewal 3~5

Post-Thaw Recovery 5×10^4 , 24 .

Freeze medium (FBS) + 10% DMSO , CM-1(Cytion 800100)

BHK-21 13 | 603126

Thawing and Culturing Cells	
1.	.
2.	-150°C , 3 .
3.	37°C 40~60 .
4.	, 70% .
5.	8ml 15ml .
6.	300 x g 3 .
7.	10ml . T25 , T25
8.	.

Incubation Atmosphere 37°C, 5% CO₂ .

Flask Coating	
	.

Freezing Procedure -78°C .

Shipping Conditions	
	-78°C .

Storage Conditions -150°C -196°C .80°C .

/ / HLA

Sterility	
	PCR .
	.