

NCI-N87 | 305057

<b>Description</b>	N87	NCI-N87	,	.		
	NCI-N87		.	NCI-N87		
	NCI-N87	myc erb-B2	.			
	(CEA) TAG 72	,	L-	(DDC)	.	(VIP)
	, NCI-N87	,	,	.		

**Organism**

**Tissue**

**Disease**

**Metastatic site**

**Synonyms** NCI-N87, NCI N87, N-87, NCI-H87, H87, H-87, NCIN87

**Gender**

**Ethnicity**

**Morphology**

**Growth properties**

**Citation** NCI-N87( 305057)

**Biosafety level** 1

**NCBI\_TaxID** 9606

**CellosaurusAccession** CVCL\_1603

NCI-N87 | 305057

**Tumorigenic**

**Culture Medium** RPMI 1640, w: 2.0mM , w: 2.0g/L NaHCO3( 820700a)

**Supplements** 10% FBS, 10mM HEPES, 2,5g/L 1mM

**Dissociation Reagent**

**Subculturing** PBS . T25 3~5ml, T75 5~10ml PBS . T25

**Fluid renewal** 2~3

**Freeze medium** (FBS ) + 10% DMSO , CM-1(Cytion 800100)

**Thawing and Culturing Cells**

1. .
2. -150°C , 3 .
3. 37°C 40~60 .
4. , 70% .
5. 8ml 15ml .
6. 300 x g 3 .
7. 10ml . T25 , T25
8. .

**Incubation Atmosphere** 37°C, 5% CO2' .

NCI-N87 | 305057

**Flask Coating**

**Freezing Procedure**

-78°C

**Shipping Conditions**

-78°C

**Storage Conditions**

-150°C -196°C .80°C

/ / HLA

**Sterility**

PCR