Product sheet

NCI-H716 | 305079

Description	NCI-H716 . 33 . NCI-H716 , 1(, . 3 , NCI-H716 .
Organism	
Tissue	
Disease	
Metastatic site	
Synonyms	NCI H716, NCI-H716, H-716, NCIH716

Age	33
Gender	
Ethnicity	
Morphology	
Growth properties	,

Citation	NCI-H716(305079)
Biosafety level	1
NCBI_TaxID	9606
CellosaurusAccession	CVCL_1581

NCI-H716 | 305079

Culture Medium	RPMI 1640, w: 2.0mM , w: 2.0g/L NaHCO3(820700a)
Supplements	10% FBS
Doubling time	50
Subculturing	^{5} /ml , , ml . . 1 x 10
Seeding density	3 x 10^{5} /mL
Fluid renewal	1ml ,
Freeze medium	(FBS) + 10% DMSO , CM-1(Cytion 800100)
Thawing and Culturing Cells	1. . 2. -150°C , 3 . 3. 37°C 40~60 . 4. , 70% . 5. 8ml 15ml . 6. 300 x g 3 . 7. 10ml . T25 , T25 8. .
Incubation Atmosphere	37°C, 5% $_{CO2}$, .

NCI-H716 | 305079

Flask Coating	.
Freezing Procedure	-78°C . .
Shipping Conditions	-78°C . .
Storage Conditions	-150°C -196°C . 80°C .

/ / HLA

Sterility	PCR . , .