

NCI-H2228 | 305125

Description 1989 8 . .

Organism

Tissue

Disease

Synonyms NCI-H2228, H-2228, NCIH2228

Gender

Ethnicity

Morphology

Growth properties

Citation NCI-H2228(305125)

Biosafety level 1

NCBI_TaxID 9606

CellSaurusAccession CVCL_1543

Culture Medium RPMI 1640, w: 2.0mM , w: 2.0g/L NaHCO3(820700a)

NCI-H2228 | 305125

Supplements 10% FBS

Dissociation Reagent

Subculturing PBS . T25 3~5ml, T75 5~10ml PBS . T25

Fluid renewal 2~3

Freeze medium (FBS) + 10% DMSO , CM-1(Cytion 800100)

Thawing and Culturing Cells

1. .
2. -150°C , 3 .
3. 37°C 40~60 .
4. , 70% .
5. 8ml 15ml .
6. 300 x g 3 .
7. 10ml . T25 , T25
8. .

Incubation Atmosphere 37°C, 5% CO₂' .

Flask Coating

Freezing Procedure -78°C .

NCI-H2228 | 305125

**Shipping
Conditions**

-78°C

**Storage
Conditions**

-150°C -196°C .80°C

/ / HLA

Sterility

PCR