Product sheet

HEK293-F | 300260

[redacted]

Description	[redacted] HEK293-F [redacted]
Organism	[redacted]
Tissue	[redacted]
Applications	[redacted]
Synonyms	HEK-293-F, HEK 293-F, HEK-293F, HEK293F, 293-F, 293 F, 293F

[redacted]

Age	[redacted]
Gender	[redacted]
Morphology	[redacted]
Growth properties	[redacted]

[redacted]

Citation	HEK293-F ([redacted] Cytion 300260)
Biosafety level	1
NCBI_TaxID	9606
CellosaurusAccession	CVCL_6642
GMO Status	GMO-S1: [redacted] HEK293-F [redacted] SV40 Large T Antigen [redacted]

[redacted]

[redacted] HEK293-F | 300260

Receptors expressed	[redacted]
Protein expression	CEA [redacted], p53 [redacted]
Tumorigenic	[redacted]
Viruses	[redacted] 5 [redacted] 5

[redacted]

Culture Medium	[redacted]293 ([redacted]) + [redacted]- [redacted]
Supplements	[redacted] FBS 10% [redacted] NEAA 1%
Dissociation Reagent	[redacted]
Doubling time	30 [redacted]
Subculturing	[redacted] PBS [redacted] T25 [redacted]
Seeding density	1 x 10^4 [redacted]/[redacted]. [redacted] 4 [redacted]
Fluid renewal	2 [redacted]
Post-Thaw Recovery	[redacted]4 [redacted] 24 [redacted]
Freeze medium	[redacted] ([redacted] FBS) + 10% DMSO

HEK293-F | 300260

Thawing and Culturing Cells

1. [redacted]
2. [redacted] cryovial [redacted] -150 [redacted]
3. [redacted] 37°C [redacted]
4. [redacted] 70%
5. [redacted] 15 [redacted]
6. [redacted] 300 x g [redacted] 3 [redacted]
7. [redacted] 10 [redacted]
8. [redacted]

Incubation Atmosphere	37°C, 5% $_{CO2}$, [redacted]
Flask Coating	[redacted]
Freezing Procedure	[redacted]
Shipping Conditions	[redacted]
Storage Conditions	[redacted] −150 [redacted] −196 °C [redacted]

[redacted] / [redacted] / HLA

Sterility	[redacted] PCR [redacted]