Product sheet

[redacted] NCI-H460 | 305020

[redacted]

Description	NCI-H460 [redacted] H460 [redacted] NCI-H460 [redacted] HPRT [redacted] AK-1, ES-D [redacted] Me-2 [redacted] t(10q14q), der(16)t(7;16)(q11.23;q22) [redacted] p53 mRNA [redacted]
Organism	[redacted]
Tissue	[redacted]
Disease	[redacted]
Metastatic site	[redacted]
Synonyms	NCI-H460, NCI.H460, H-460, NCIH460, NCI-HUT-460, NCI-460

[redacted]

Gender	[redacted]
Ethnicity	[redacted]
Morphology	[redacted]
Growth properties	[redacted]

[redacted]

Citation	H-460 ([redacted] Cytion 305020)
Biosafety level	1
NCBI_TaxID	9606
CellosaurusAccession	CVCL_0459

[redacted]

Tumorigenic	[redacted]

[redacted] NCI-H460 | 305020

[redacted]

Culture Medium	RPMI 1640, w: 2.0 mM [redacted], w: 2.0 [redacted]/[redacted] NaHCO3 ([redacted] Cytion 820700a)
Supplements	[redacted] FBS 10%
Dissociation Reagent	[redacted]
Subculturing	[redacted] PBS [redacted] T25 [redacted]
Fluid renewal	2 [redacted] 3 [redacted]
Freeze medium	[redacted] (FBS) + 10% DMSO
Thawing and Culturing Cells	1. [redacted] 2. [redacted] cryovial [redacted] -150 [redacted] 3. [redacted] 37°C [redacted] 4. [redacted] 70% 5. [redacted] 15 [redacted] 6. [redacted] 300 x g [redacted] 3 [redacted] 7. [redacted] 10 [redacted] 8. [redacted]
Incubation Atmosphere	37°C, 5% $_{CO2}$, [redacted]
Flask Coating	[redacted]

NCI-H460 | 305020

Freezing Procedure	
Shipping Conditions	
Storage Conditions	−150 −196 °C

/ / HLA

Sterility	PCR