

NCI-N87 | 305057

XXXXXXXXXXXXXXXXXXXX

Tumorigenic XX

XXXXXXXXXXXX

Culture Medium RPMI 1640, w: 2.0 mM XXXXXXXXXXXXXXX, w: 2.0 XXXX/XXXX NaHCO3 (XXXXXXXXXXXXXXXXXXXX Cytion 820700a)

Supplements XXX FBS 10%, HEPES 10 mM, XXXXX 2.5 XXXX/XXXX XXX 1 XXXXXXXXXXXXXXX

Dissociation Reagent XXXXXXXXXXXXX

Subculturing XXX PBS XXX XXXXXXXXXXXXXXX T25 XXXXXXXXXXXXXXX

Fluid renewal 2 XXX 3 XXXXXXXXXXXXXXXXXXXXXXX

Freeze medium XXX XXX (XXXXXX FBS) + 10% DMSO

- Thawing and Culturing Cells**
1. XXX XXX
 2. XXXXXXXXXXXXXXXXXXXXXXX XXXXXXXXXXXXXXX cryovial XXXXXXXXXXXXXXXXXXXXXXXXXXXXXXX -150 XXXXXXXXXXXXXXXXXXXXXXX XXX
 3. XXXXXXXXXXXXXXXXXXXXXXXXXXXXXXX XXX XXXXXXXXXXXXXXXXXXXXXXXXXXXXXXX 37°C XXXXXXXXXXXXXXXXXXXXXXX
 4. XXX XXX 70%
 5. XXXXXXXXXXXXXXXXXXXXXXXXXXXXXXX XXX 15 XXXXXXXXXXXXXXXXXXXXXXX
 6. XXXXXXXXXXXXXXXXXXXXXXXXXXXXXXX 300 x g XXXXXXXXXXXXXXX 3 XXXX XXXXXXXXXXXXXXXXXXXXXXXXXXXXXXX XXX
 7. XXXXX XXX 10 XXXXXXXXXXXXXXX XXXXXXXXXXXXXXXXXXXXXXXXXXXXXXX XXXXXXXXXXXXXXXXXXXXXXX
 8. XXX XXX

Incubation Atmosphere 37°C, 5% CO₂, XXXXXXXXXXXXXXXXXXXXXXX

