RPMI 1640, w: 2.0 mM , w: 2.0 / N aHCO3 | 820700a

RPMI 1640 Medium RPMI medium Roswell Park Memorial Institute (RPMI)

RPMI 1640 Medium

RPMI 1640 Medium Serum FBS) 10%

RPMI 1640 Medium CO2 5-10% pH

-

- +2°C +8°C
- 4°C 6–8

-

- +2°C +8°C +37°C
- 37°C
-

			( )
		10.00	
	- - -	434.40	
	-	200.00	
	- 2	56.82	
	-	20.00	
	- 2HCl	65.20	
	-	20.00	
	- 2	20.27	

RPMI 1640, w: 2.0 mM , w: 2.0 / N aHCO3 | 820700a

	[illegible]- [illegible]- [illegible]- [illegible]	20.00
	[illegible]- [illegible]	50.00
	[illegible]- [illegible]	50.00
	[illegible]- [illegible] [illegible]	40.00
	[illegible]- [illegible]	15.00
	[illegible]- [illegible]	15.00
	[illegible]- [illegible]	20.00
	[illegible]- [illegible]	30.00
	[illegible]- [illegible]	20.00
	[illegible]- [illegible]	5.00
	[illegible]- [illegible] 2Na 2H2O	28.83
	[illegible]- [illegible]	20.00
[illegible]	[illegible]- [illegible]	1.00
	[illegible]- [illegible]	0.20
	[illegible]	3.00
	[illegible]- [illegible]	0.25
	[illegible]	1.00
	[illegible]- [illegible]	35.00
	[illegible]	1.00
	[illegible] [illegible]	1.00
	[illegible]	0.20

RPMI 1640, w: 2.0 mM , w: 2.0 / N aHCO3 | 820700a

	[illegible]	1.00
	[illegible]	0.005
[illegible]	[illegible]	100.00
	[illegible]	400.00
	[illegible]	100.00
	NaCl	6000.00
	[illegible]	2000.00
	Na2HPO4	800.00
[illegible]	[illegible]	2000.00
	[illegible]	1.00
	[illegible]	5.30