

MDA-MB-435S | 300277

Description		MDA-MB-435	M14	
	MDA-MB-435S			MDA-MB-435S
		MDA-MB-435S		

Organism	
Tissue	

Disease	
Metastatic site	

Synonyms	MDA-MB-435s MDA-MB-435 S MDA-MB-435-S MDAMB435S BrCL15
-----------------	--

Age	33
------------	----

Gender	
Ethnicity	

Morphology	
Growth properties	

Citation	MDA-MB-435S Cytion 300277
-----------------	---------------------------

Biosafety level	1
------------------------	---

NCBI_TaxID	9606
-------------------	------

CellosaurusAccession	CVCL_0622
-----------------------------	-----------

MDA-MB-435S | 300277

Culture Medium	DMEM:Ham's F12 1:1	w: 3.1 g/L	w: 2.5 mM L-	w: 15 mM HEPES	w: 0.5 mM	w: 1.2 g/L NaHCO3	Cytion	8				
Supplements	5% FBS											
Dissociation Reagent	Accutase											
Subculturing	PBS	T25	3-5	PBS	T75	5-10	Accutase	T25	1-2	T75	2.5	
Fluid renewal	2	3										
Freeze medium	FBS +10% DMSO	CM-1	Cytion	800100	CM-1	Cytion	800100					
Thawing and Culturing Cells	1.											
	2.	-150°C								3		
	3.	37°C					40-60					
	4.			70%								
	5.			8			15					
	6.	300 x g	3									
	7.	10				T25				T25		
	8.											
Incubation Atmosphere	37°C, 5% CO ₂											

MDA-MB-435S | 300277

Flask Coating

Freezing Procedure

-78 °C

Shipping Conditions

-78 °C

Storage Conditions

-150 -196 -80 °C

/ /HLA

Sterility

PCR