

MDA-MB-468 | 300279

Description	MDA-MB-468	MDA-MB-468	ER-
	MDA-MB-468 TP53	EGFR	
	MDA-MB-468		TNBC

Organism

Tissue

Disease

Metastatic site

Synonyms MDA-MB 468 MDA-MB468 MDAMB468 MDA-468 MDA468 MB468 MD - -468

Age 51

Gender

Ethnicity

Morphology

Growth properties

Citation MDA-MB-468 Cytion 300279

Biosafety level 1

NCBI_TaxID 9606

CellosaurusAccession CVCL_0419

MDA-MB-468 | 300279

Culture Medium	DMEM:Ham's F12	1:1	w: 3.1 g/L	w: 2.5 mM L-	w: 15 mM HEPES	w: 0.5 mM	w: 1.2 g/L NaHCO3	Cytion	8					
Supplements	10% FBS													
Dissociation Reagent	Accutase													
Subculturing			PBS	T25	3-5	PBS	T75	5-10	Accutase	T25	1-2	T75	2.5	
Fluid renewal	2 3													
Freeze medium			FBS +10% DMSO	CM-1	Cytion		800100			CM-1	Cytion		800100	
Thawing and Culturing Cells	1.													
	2.		-150°C									3		
	3.		37°C				40-60							
	4.				70%									
	5.			8		15								
	6.	300 x g	3											
	7.	10					T25					T25		
	8.													
Incubation Atmosphere	37°C, 5% CO ₂													

MDA-MB-468 | 300279

Flask Coating

**Freezing
Procedure**

-78 °C

**Shipping
Conditions**

-78 °C

**Storage
Conditions**

-150 -196 -80 °C

/ /HLA

Sterility

PCR