Product sheet

MDA-MB-361 | 305267

Description	MDA-MB-361 MDA-MB-361 ER MDA-MB-361 ER PR 2 HER2/neu
Organism	
Tissue	
Disease	
Metastatic site	
Synonyms	MDA-MB 361 MDA MB 361 MDA-MB361 MDAMB361 MDA-361 MDA361 MB361 MD - -361

Age	40
Gender	
Ethnicity	
Morphology	
Growth properties	

Citation	MDA-MB-361 Cytion 305267
Biosafety level	1
NCBI_TaxID	9606
CellosaurusAccession	CVCL_0620

MDA-MB-361 | 305267

Oncogenes	Wnt7h+

Culture Medium	DMEM:Ham's F12 1:1 w: 3.1 g/L w: 1.6 mM L- w: 15 mM HEPES w: 1.0 mM w: 1.2 g/L NaHCO3 (Cytion 82040
Supplements	20% FBS 5 µg/mL
Dissociation Reagent	Accutase
Subculturing	PBS T25 3-5 PBS T75 5-10 Accutase T25 1-2 T75 2.5
Fluid renewal	2 3
Freeze medium	FBS +10% DMSO CM-1 Cytion 800100 CM-1 Cytion 800100
Thawing and Culturing Cells	1. 2. -150°C 3 3. 37°C 40-60 4. 70% 5. 8 15 6. 300 x g 3 7. 10 T25 T25 8.
Incubation Atmosphere	37°C, 5% $_{CO2}$,

MDA-MB-361 | 305267

Flask Coating	
Freezing Procedure	-78 °C
Shipping Conditions	-78 °C
Storage Conditions	-150 -196 -80 °C

/ /HLA

Sterility	PCR