

## Product sheet

H9c2(2-1) | 305203

### Description

H9c2(2-1) BD1X 20 90 H9  
H9c2  
H9c2(2-1)

H9c2

### Organism

### Tissue

### Synonyms

H9c2 (2-1), H9c2, H9C2

### Breed/Subspecies

BD1x

### Age

### Morphology

### Growth properties

### Citation

H9c2 2-1 Cytion 305203

### Biosafety level

1

### NCBI\_TaxID

10116

### CellosaurusAccession

CVCL\_0286

### Receptors expressed

H9c2(2-1) | 305203

**Protein expression**

<b>Culture Medium</b>	DMEM w 4.5 / w 4 L- w 3.7 / NaHCO3 w 1.0	Cytion 820300a
-----------------------	--	----------------

<b>Supplements</b>	10% FBS
--------------------	---------

<b>Dissociation Reagent</b>	Accutase
-----------------------------	----------

<b>Subculturing</b>	PBS T25 3-5 PBS T75 5-10	Accutase T25 1-2 T75 2.5
---------------------	--------------------------	--------------------------

<b>Fluid renewal</b>	2 3
----------------------	-----

<b>Freeze medium</b>	FBS +10% DMSO CM-1 Cytion 800100	CM-1 Cytion 800100
----------------------	----------------------------------	--------------------

<b>Thawing and Culturing Cells</b>	1.		
	2.	-150°C	3
	3.	37°C	40-60
	4.	70%	
	5.	8	15
	6.	300 x g	3
	7.	10	T25 T25
	8.		

<b>Incubation Atmosphere</b>	37°C, 5% CO <sub>2</sub>
------------------------------	--------------------------

H9c2(2-1) | 305203

**Flask Coating**

**Freezing  
Procedure**

-78 °C

**Shipping  
Conditions**

-78 °C

**Storage  
Conditions**

-150 -196 -80 °C

/ /HLA

**Sterility**

PCR