# Product sheet

## hGF | 300703

| | |
|---|---|
| **Description** | hGF<br>hGF * |
| **Organism** | |
| **Tissue** | |
| **Applications** | |
| **Cell type** | |
| **Growth properties** | |
| **Citation** | hGF Cytion 300703 |
| **NCBI_TaxID** | 9606 |
| **Culture Medium** | DMEM:Ham's F12 1:1 w: 3.1 g/L w: 2.5 mM L- w: 15 mM HEPES w: 0.5 mM w: 1.2 g/L NaHCO3 Cytion 8 |
| **Supplements** | 10% FBS 10 / 10 / |
| **Dissociation Reagent** | Accutase |
| **Subculturing** | PBS T25 3-5 PBS T75 5-10 Accutase T25 1-2 T75 2.5 |

## hGF | 300703

| | |
|---|---|
| **Freeze medium** | 90% FBS + 10% DMSO CM-1 Cytion 800100 |
| **Thawing and Culturing Cells** | 1.<br>2. -150°C 3<br>3. 37°C 40-60<br>4. 70%<br>5. 8 15<br>6. 300 x g 3<br>7. 10 T25 T25<br>8. |
| **Incubation Atmosphere** | 37°C, 5% $_{CO2}$, |
| **Flask Coating** | |
| **Freezing Procedure** | -78 °C |
| **Shipping Conditions** | -78 °C |
| **Storage Conditions** | -150 -196 -80 °C |

## / /HLA

## hGF | 300703

| | |
|---|---|
| **Sterility** | PCR |