

VERO | 605372

Description	
VERO	VERO 20 60
VERO	24 Vero
Vero	Vero
VERO	Vero 76 Vero E6 Vero 76 Vero E6

Organism

Tissue

Applications

Synonyms Vero, VeroCCL81, Vero 81, Verda reno

Age

Gender

Morphology

Growth properties

Citation VERO Cytion 605372

Biosafety level 1

NCBI_TaxID 60711

CellosaurusAccession CVCL_0059

VERO | 605372

Receptors expressed	VERO	-α/β
----------------------------	------	------

Viruses	Verotoxin
----------------	-----------

Virus susceptibility	1 2 3 Getah Ndumu Pixuna Ross River Semliki Forest Paramaribo Kokobera Modoc Murutucu Germiston Guaroa Pongola Tacaribe SV-5 SV40 rubeola rubellavirus reovirus 1 2 3
-----------------------------	---

Reverse transcriptase	
------------------------------	--

Mutational profile	Vero	12	9-Mb	I	CDKN2A	CDKN2B
---------------------------	------	----	------	---	--------	--------

Culture Medium	DMEM:Ham's F12	1:1	w: 3.1 g/L	w: 2.5 mM L-	w: 15 mM HEPES	w: 0.5 mM	w: 1.2 g/L NaHCO3	Cytion
-----------------------	----------------	-----	------------	--------------	----------------	-----------	-------------------	--------

Supplements	10% FBS
--------------------	---------

Dissociation Reagent	Accutase
-----------------------------	----------

Subculturing	PBS	T25	3-5	PBS	T75	5-10	Accutase	T25	1-2	T75	2.5
---------------------	-----	-----	-----	-----	-----	------	----------	-----	-----	-----	-----

Seeding density	1 × 10 ⁴	/
------------------------	---------------------	---

Fluid renewal	2	3
----------------------	---	---

Freeze medium	FBS +10% DMSO	CM-1	Cytion	800100	CM-1	Cytion	800100
----------------------	---------------	------	--------	--------	------	--------	--------

VERO | 605372

Thawing and Culturing Cells

- 1.
2. -150°C 3
3. 37°C 40-60
4. 70%
5. 8 15
6. 300 x g 3
7. 10 T25 T25
- 8.

Incubation Atmosphere

37°C, 5% CO₂

Flask Coating

Freezing Procedure

-78 °C

Shipping Conditions

-78 °C

Storage Conditions

-150 -196 -80 °C

/ /HLA

Sterility

PCR