

NCI-H716 | 305079

Description	NCI-H716	33	NCI-H716	1 (GLP)
	NCI-H716		NCI-H716	NCI-H716

Organism

Tissue	Cecum
---------------	-------

Disease

Metastatic site

Synonyms NCI H716 NCI-H716 H-716 NCIH716

Age	33
------------	----

Gender

Ethnicity

Morphology

Growth properties

Citation	NCI-H716 Cytion 305079
-----------------	------------------------

Biosafety level 1

NCBI_TaxID	9606
-------------------	------

CellosaurusAccession CVCL_1581

NCI-H716 | 305079

Culture Medium	RPMI 1640 w 2.0 mM	w 2.0 g/L NaHCO3	Cytion	820700a
-----------------------	--------------------	------------------	--------	---------

Supplements	10% FBS
--------------------	---------

Doubling time	50
----------------------	----

Subculturing	⁵ /	1×10
---------------------	----------------	------

Seeding density	> 3 × 10 ⁵ /
------------------------	-------------------------

Fluid renewal	1
----------------------	---

Freeze medium	FBS +10% DMSO	CM-1	Cytion	800100	CM-1	Cytion	800100
----------------------	---------------	------	--------	--------	------	--------	--------

Thawing and Culturing Cells	1.			
	2.	-150°C		3
	3.	37°C		40-60
	4.		70%	
	5.	8	15	
	6.	300 x g	3	
	7.	10		T25
	8.			T25

Incubation Atmosphere	37°C, 5% CO ₂
------------------------------	--------------------------

NCI-H716 | 305079

Flask Coating

Freezing Procedure -78 °C

Shipping Conditions -78 °C

Storage Conditions -150 -196 -80 °C

/ /HLA

Sterility PCR