

NCI-H2228 | 305125

Description 1989 8

Organism

Tissue

Disease

Synonyms NCI-H2228 H-2228 NCIH2228

Gender

Ethnicity

Morphology

Growth properties

Citation NCI-H2228 Cytion 305125

Biosafety level 1

NCBI_TaxID 9606

CellSaurusAccession CVCL_1543

Culture Medium RPMI 1640 w 2.0 mM w 2.0 g/L NaHCO3 Cytion 820700a

NCI-H2228 | 305125

Supplements	10% FBS											
Dissociation Reagent	Accutase											
Subculturing	PBS	T25	3-5	PBS	T75	5-10	Accutase	T25	1-2	T75	2.5	
Fluid renewal	2 3											
Freeze medium	FBS +10% DMSO			CM-1 Cytion			800100			CM-1 Cytion 800100		
Thawing and Culturing Cells	1.											
			-150°C				3					
			37°C				40-60					
			70%									
			8		15							
	300 x g		3									
	10				T25				T25			
	8.											
Incubation Atmosphere	37°C, 5% CO ₂											
Flask Coating												
Freezing Procedure	-78 °C											

NCI-H2228 | 305125

**Shipping
Conditions**

-78 °C

**Storage
Conditions**

-150 -196 -80 °C

/ /HLA

Sterility

PCR