Product sheet

NCI-H295R | 300483

Description	H295R	A.F. Gazdar	1990	NCI-H295	5	2
Organism						
Tissue						
Disease						
Synonyms	NCI-H295R NCI H295R NCIH295R H-295R H295R-S1					

Age	48
Gender	
Ethnicity	
Morphology	
Growth properties	

Citation	NCI-H295R Cytion	300483
Biosafety level	1	
NCBI_TaxID	9606	
CellosaurusAccession	CVCL_0458	

Products	C19

Product sheet

NCI-H295R | 300483

Culture Medium	NCI-H295R (820402) DMEM:Ham's F12 (1:1) w: 3.1 g/L w: 2.5 mM L- w: 15 mM H NaHCO3 Cytion 820400a
Supplements	5% FBS 0.00625 / 0.00625 / 6.25 / 1.25 / 0.00535 /
Dissociation Reagent	Accutase
Subculturing	PBS T25 3-5 PBS T75 5-10 Accutase T25 1-2 T75 2.5
Fluid renewal	2 3
Post-Thaw Recovery	48
Freeze medium	FBS +10% DMSO CM-1 Cytion 800100 CM-1 Cytion 800100
Thawing and Culturing Cells	1. 2. -150°C 3 3. 37°C 40-60 4. 70% 5. 8 15 6. 300 x g 3 7. 10 T25 T25 8.
Incubation Atmosphere	37°C, 5% $_{CO2}$,
Flask Coating	

NCI-H295R | 300483

Freezing Procedure	-78 °C
Shipping Conditions	-78 °C
Storage Conditions	-150 -196 -80 °C

/ /HLA

Sterility	PCR
HLA	**A***: '02:01:01 **B***: '15:10:01 **C***: '03:04:02 **DRB1***: '01:01:01 **DQA1***: '01:01:01 **DQB1***: '05:01:01 **DPB1***: '04:02:01 **E**: '01:03:02