Product sheet

| 400321

Description	RenCa BALB/c BALB/c RenCa RenCa RenCa BALB/c RenCa
Organism	
Tissue	
Disease	
Synonyms	Renca RENCA

Breed/Subspecies	BALB/c
Age	6
Gender	
Morphology	
Growth properties	

Citation	RenCa Cytion 400321
Biosafety level	1
NCBI_TaxID	10090
CellosaurusAccession	CVCL_2174
GMO Status	GMO-S1 RenCa

Tumorigenic	
Virus susceptibility	MAP Ektromelie K LCM MVM Theiler`s GD VII toolan`s H-1 MHV RCV/SDA M-
Culture Medium	RPMI 1640 w 2.0 mM w 2.0 g/L NaHCO3 Cytion 820700a
Supplements	10% FBS
Dissociation Reagent	Accutase
Doubling time	47
Subculturing	PBS T25 3-5 PBS T75 5-10 Accutase T25 1-2 T75 2.5
Seeding density	2×10^4 /
Fluid renewal	2 3
Post-Thaw Recovery	93% 24 48
Freeze medium	FBS +10% DMSO CM-1 Cytion 800100 CM-1 Cytion 800100

Thawing and Culturing Cells	1. 2. -150°C 3 3. 37°C 40-60 4. 70% 5. 8 15 6. 300 x g 3 7. 10 T25 T25 8.
Incubation Atmosphere	37°C, 5% $_{CO2}$,
Flask Coating	
Freezing Procedure	-78 °C
Shipping Conditions	-78 °C
Storage Conditions	-150 -196 -80 °C

/ /HLA

Sterility	PCR