

Product sheet

5A w 3.0 / w w 2.0 w 2
.2 / NaHCO3 | 820200a

5A G LGR5 HCT116 RKO FET CBS HCT116b TENN

5A Eagle 5A 5A

5A 3.0 g/L 2.0 mM 2.2 g/L

- pH =7.2±0.02 20-25°C
-

- +2°C +8°C +37°C
- 37°C
-
- 6 8

	/
2	132.00
	97.67
	400.00
	6,460.00
	504.00
D(+)-	3,000.00
	0.50
	600.00
	11.00

5A w 3.0 / w w 2.0 w 2
 .2 / NaHCO3 | 820200a

	L-			13.36
	L-	x		42.14
	L-	x		45.03
	L-			19.97
	L-	x	x	31.75
	L-			219.15
	L-			22.07
				7.51
	L-	x	x	20.96
	L-			19.67
	L-			39.36
	L-			39.36
	L-	x		36.54
	L-			14.92
	L-			16.52
	L-			17.27
	L-			26.28
	L-			17.87
	L-			3.06
	L-			26.10

Product sheet



5A w 3.0 / w w 2.0 w 2
.2 / NaHCO3 | 820200a

	L-	17.57
		1.00
		0.56
	D(+)-	0.20
	D-	0.20
		5.00
		10.00
		36.00
		0.50
		0.50
		0.50
		0.50
		0.20
		0.20
	B12	2.00